création baumann

SINFONIA CS FORTE

Semi transparent curtain fabric in Trevira CS with fil coupé. Spreading across the entire width, a second weft thread system adds attractive markings on the base of the best selling Sinfonia CS. An irregular arrangement of stepped bars that run upwards and stop at different heights. The arrangement results in greater transparency in the upper section where the fabric offers less privacy protection. Can be combined with Sinfonia CS V white Col. 1013, Art. No. 0100301.



Use: Transparent curtain fabric

Number of colours:

Special colours: - from 300 m / 330 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 300 cm/118 inch/3.28 yard

Can be railroaded: Can be railroaded

Pattern repeat: Width: 300.0 cm/118 inch/3.28 yard

Height: 208.0 cm/82 inch/2.27 yard

83 g/m² Weight:

Flame-retardant properties:



Additional use:



Care:











Washing (length shrinkage): 0.5%

Dry cleaning (length shrinkage): 1%

Light fastness:

Certificates / tests: Fire Test DIN 4102 B1 Fire Test Japan

*all testing reports can be downloaded from our website under product details

Special notes:

- Because two different weft systems are used, slight irregularities in weft density can arise.









création baumann

SINFONIA CS FORTE







Col. 0122*

Col. 0123*

Col. 0124*

Note:

SYMBOLS AND PRODUCT INFORMATION

Product information		Material information	
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate
<u>~~</u>		CA	Нетр
Width (cm)	recycled material	со	Cotton
		EA	Elasthan
Can be railroaded (only valid for curtains)	Symbol for returning of used fabrics. Only valid in CH and DE.	GL	Glass fibre
Has to be railroaded	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-h	ME	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av UV transmission level Tuv	PI	Paper
M/s;-l-h (s/m-2)		PL	Polyester
Weight (g/m2)		PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
	solar transmission level Te, n-h	PLF CS ECO	
Piece dyed	solar reflection level Pe, n-h	PN	Polycarbonat
Knitted	solar absorption level Ae	PP	Polypropylene
		PU	Polyurethan
Woven	OF Openess factor	RA	Ramie
		SE	Silk
Warp print	Usable in a bathroom/wet room (Plissee)	SI	Silicone
		TR	Different material (wood, paper, feathers etc.)
Screen print/burnout	Stain resistant (Plissee)	VI	Viscose
		wm	Wool Mohair
Metalized on one side	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	wv	Wool
Pearl reflex	Additional product information		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Fabrics with very high lightfastness for indoor and outdoor use
ВО	Blackout
	Reverso
	Plisseé
	Comb plisseé