

DIMMER SKY

Dim-out fabric in Trevira CS with laser technology design. Innovative fabric to satisfy the most exacting demands in aesthetics and functionality. The look, feel and flowing drape qualities of this complex product are unique. Through the delicate perforations of the design incoming light is transformed to brightly lit dots. The effect is minimalist and charming.



| | |
|---|---|
| Use: | Dim-out fabric |
| Number of colours: | 6 |
| Special colours: | - from 300 m / 330 yds without surcharge. |
| Material: | 100% Flameretardant polyester (Trevira CS) |
| Fabric width: | 150 cm/59 inch/1.64 yard |
| Pattern repeat: | Width: 48.0 cm/19 inch/0.52 yard Height: 40.0 cm/16 inch/0.44 yard |
| Weight: | 260 g/m ² |
| Flame-retardant properties: |  |
| Additional use: |  |
| Care: |  |
| Washing (length shrinkage): | 0.5% |
| Dry cleaning (length shrinkage): | 1% |
| Light fastness: | 6-7 |
| Certificates / tests: | Fire Test DIN 4102 B1 Fire Test Japan |
| | *all testing reports can be downloaded from our website under product details |
| Special notes: | - Teams well with the uni palette from Dimmer. |



DIMMER SKY



Col. 0621



Col. 0622



Col. 0623



Col. 0624



Col. 0625



Col. 0626

Note:

Colours may vary. Please ask for our colour samples.

* As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

| | |
|--|---|
|  | Inherently flame retardant |
|  | Width (cm) |
|  | Can be railroaded (only valid for curtains) |
|  | Has to be railroaded |
|  | Must not be railroaded |
|  | Repeat in warp direction |
|  | Repeat in weft direction |
|  | Weight (g/m2) |
|  | Yarn dyed |
|  | Piece dyed |
|  | Knitted |
|  | Woven |
|  | Warp print |
|  | Screen print/burnout |
|  | Metalized on one side |
|  | Pearl reflex |

| | |
|---|--|
|  | Free from harmful substances / Oddy |
|  | Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.) |
|  | light transmission level Tv, n-h |
|  | light reflection level Pv, n-h |
|  | light absorption level Av |
|  | UV transmission level Tuv |
|  | solar transmission level Te, n-h |
|  | solar reflection level Pe, n-h |
|  | solar absorption level Ae |
|  | Openess factor |
|  | Usable in a bathroom/wet room (Plissee) |
|  | Stain resistant (Plissee) |
|  | Various articles are only available in complete picture repeats. The price is quoted per repeat in each case. |
|  | Additional product information |

Material information

| | |
|---------------|---|
| AC | Acetate |
| CA | Hemp |
| CO | Cotton |
| EA | Elasthan |
| GL | Glass fibre |
| LI | Linen |
| MD | Modal |
| ME | Metal |
| PA | Polyamide |
| PC | Acrylic |
| PE | Polyethylene |
| PI | Paper |
| PL | Polyester |
| PLF | Flameretardant polyester |
| PLF CS | Flameretardant polyester (Trevira CS) |
| PN | Polycarbonat |
| PP | Polypropylene |
| PU | Polyurethan |
| RA | Ramie |
| SE | Silk |
| SI | Silicone |
| TR | Different material (wood, paper, feathers etc.) |
| VI | Viscose |
| WM | Wool Mohair |
| WV | Wool |

SYMBOLS AND PRODUCT INFORMATION

Intended purposes



Curtains/Sheers



Roller blinds (colours see separate roller blind collection)



Panels (process the panels in warp direction to get optimal hang properties)



Vertical blinds



Roman blinds



Upholstery (for heavy use in contract application).
Martindale > 30'000



Upholstery (for heavy use in domestic application/for normal
use in contract application). 20'000 < Martindale < 30'000



Upholstery (for normal use in domestic application/for careful
use in contract application). Martindale < 20'000



Loose cover for careful use in domestic application.
Martindale < 5'000



Bedspreads



Table cloth domestic use



Wallcovering



Textile wallpaper (can be paper backed, minimum quantity)



Cushion



Acoustical fabrics



Adhesive Textiles/Gecko/Gecko in the Box



Fabrics with very high lightfastness for indoor and outdoor use



Blackout



Reverso



Plissé



Comb plissé