

SHINE MEDIUM

Glare and heat protection; Aluminium metallised curtain fabric with a delicate flame texture and a gorgeous textile quality offers effective sun and glare protection whilst affording optimised vistas to the outside. An ideal solution for controlling light in public and residential interiors. Combines well with Shine Plus. Grading of the weave density into groups of different transmission values facilitates an uniform look in interiors which have windows facing in different directions and consequently have to meet different light conditions (large scale open plan offices).



Use:	Glare & heat protection
Number of colours:	7
Special colours:	
Material:	100% Flameretardant polyester
Fabric width:	300 cm/118 inch/3.28 yard
Can be railroaded:	Can be railroaded
Weight:	82 g/m ²
Flame-retardant properties:	
Additional use:	
Care:	
Dry cleaning (length shrinkage):	1%
Light fastness:	see downloads
Certificates / tests:	Fire Test DIN 4102 B1 Fire Test Japan Light transmission DIN EN 410 Lightfastness certificate Special notes Transmission values in overview
Special notes:	- Light transmission degree: 6 - 48% - Light reflection degree: 39 - 51% - Please note that the white colour 351 does not have a metallised reverse and therefore possesses different light and solar values.



*all testing reports can be downloaded from our website under product details



SHINE MEDIUM



Col. 0351



Col. 0352




Col. 0353



Col. 0354



Col. 0355



Col. 0356



Col. 0357

Note:

Colours may vary. Please ask for our colour samples.

* As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroaded (only valid for curtains)
	Has to be railroaded
	Must not be railroaded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m ²)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light transmission level Tv, n-nn
	light transmission level Tv, n-dif
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

AC	Acetate
CA	Hemp
CO	Cotton
EA	Elasthan
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PI	Paper
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes



Curtains/Sheers



Roller blinds (colours see separate roller blind collection)



Panels (process the panels in warp direction to get optimal hang properties)



Vertical blinds



Roman blinds



Upholstery (for heavy use in contract application).
Martindale > 30'000



Upholstery (for heavy use in domestic application/for normal
use in contract application). 20'000 < Martindale < 30'000



Upholstery (for normal use in domestic application/for careful
use in contract application). Martindale < 20'000



Loose cover for careful use in domestic application.
Martindale < 5'000



Bedspreads



Table cloth domestic use



Wallcovering



Textile wallpaper (can be paper backed, minimum quantity)



Cushion



Acoustical fabrics



Adhesive Textiles/Gecko/Gecko in the Box



Fabrics with very high lightfastness for indoor and outdoor use



Blackout



Reverso



Plissé



Comb plissé